

## “Celtic Embroidery Embellished Belt”



With this free embroidery project, you can add the finishing touch to an outfit with the use of Celtic Interactive embroidery designs.

**Skill Level:** Easy

**Created by:** Diane Kron, Software and Embroidery Project Manager

**Supplies:**


- Baby Lock® Ellisimo sewing and embroidery machine
- Celtic Interactive Embroidery from Designer's Gallery®
- Blue Velveteen fabric
- Baby Lock® Cut-Away stabilizer
- Temporary spray adhesive
- Chalko liner
- Sewing and embroidery thread
- General sewing and embroidery supplies

**Instructions**


**At the Computer:**



1. Open the Interactive program.
2. Click on the Celtic icon on the left side of the workspace.



3. To set the hoop size, click on Preferences on the top toolbar. Set the Width at 300mm and the Height at 200mm. click on Apply. Click on the Metric tab and place a checkmark in Use Inches. Close out of the field.




4. Upon opening the program, the Border tab is open and is the default setting. The design used in this project will be under found under this tab heading. Click on the down arrow and select Celtic 2 design.



5. Measure the waist of your little one and write down that number. Follow the next set steps to make adjustments to the settings while referring to the following illustration:
  - Using half of the measurement, slide the Scale button to reflect the measurement. In the sample 131% was used.
  - Under the Left End field, select End Cap.
  - Under the Right End field, select End Cap.
  - Click on the down arrow next to Outline and select None.



6. Click on Print  and follow the prompts to print out a template of the design.
7. Click on Save to save as a .pes file to the media device that your embroidery machine will read.

### At the Cutting Table:

1. Cut two pieces across the width of the Velveteen fabric 3" wide.
2. Using one section, pin the template to the center of the fabric.
3. Hoop the Cut-Away stabilizer in the 300mm x 200mm hoop and spray with the temporary spray adhesive.
4. Place the velveteen belt section over the stabilizer centering the cross marks on the template with the marks on the hoop.

### At the Embroidery and the Sewing Machine:

1. With the machine on, place the hoop on the machine.
2. Select Embroidery Edit and retrieve the design from the media device.
3. Move the needle as needed to line the needle up over the cross marks on the fabric.
4. Remove the template and embroider the design using the thread colors of your choice.
5. Remove the hoop from the machine.

6. Trim the sections to 32" long.
7. Set the machine up for sewing.
8. With right sides together and raw edges even, stitch the outer edge together using a ½" seam allowance. Leave a 4" opening for turning.
9. Trim the corners and turn right side out.
10. Slip stitch the opening closed.
11. Overlap the belt on the back and sew hook and eyes to fit around the waist.

For other exciting projects like this one, visit our Web site at [www.designersgallerysoftware.com](http://www.designersgallerysoftware.com)